



IFWO

RAW SEQUENCE LISTING

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:26

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

3 <110> APPLICANT: Liew, Choong-Chin
 5 <120> TITLE OF INVENTION: Method for the Detection of Depression Related Gene
 transcripts in Blood
 7 <130> FILE REFERENCE: 4231/2055D
 9 <140> CURRENT APPLICATION NUMBER: 10/812,702
 10 <141> CURRENT FILING DATE: 2004-3-30
 12 <150> PRIOR APPLICATION NUMBER: US 10/802,875
 13 <151> PRIOR FILING DATE: 2004-03-12
 15 <150> PRIOR APPLICATION NUMBER: US 10/601,518
 16 <151> PRIOR FILING DATE: 2003-06-20
 18 <150> PRIOR APPLICATION NUMBER: US 10/268,730
 19 <151> PRIOR FILING DATE: 2002-10-09
 21 <150> PRIOR APPLICATION NUMBER: US 10/085,783
 22 <151> PRIOR FILING DATE: 2002-02-28
 24 <150> PRIOR APPLICATION NUMBER: US 09/477,148
 25 <151> PRIOR FILING DATE: 2000-01-04
 27 <150> PRIOR APPLICATION NUMBER: US 60/271,955
 28 <151> PRIOR FILING DATE: 2001-02-28
 30 <150> PRIOR APPLICATION NUMBER: US 60/305,340
 31 <151> PRIOR FILING DATE: 2001-07-13
 33 <150> PRIOR APPLICATION NUMBER: US 60/275,017
 34 <151> PRIOR FILING DATE: 2001-03-12
 36 <150> PRIOR APPLICATION NUMBER: US 60/115,125
 37 <151> PRIOR FILING DATE: 1999-01-06
 39 <160> NUMBER OF SEQ ID NOS: 112
 41 <170> SOFTWARE: PatentIn version 3.2
 43 <210> SEQ ID NO: 1
 44 <211> LENGTH: 110
 45 <212> TYPE: DNA
 46 <213> ORGANISM: Human
 48 <400> SEQUENCE: 1
 49 acacaacgta acaataacat atttagccaa tgtagtagac tgctatataa tacattagag 60
 51 tgtcaattca ttccgtttac agccccattg ggtgtcaaatt tttttttggt 110
 54 <210> SEQ ID NO: 2
 55 <211> LENGTH: 530
 56 <212> TYPE: DNA
 57 <213> ORGANISM: Human
 60 <220> FEATURE:
 61 <221> NAME/KEY: misc_feature
 62 <222> LOCATION: (16)..(16)
 63 <223> OTHER INFORMATION: n is a, c, g, or t
 65 <220> FEATURE:
 66 <221> NAME/KEY: misc_feature
 67 <222> LOCATION: (19)..(19)



pp 6-8

RAW SEQUENCE LISTING

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:26

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

68 <223> OTHER INFORMATION: n is a, c, g, or t
70 <220> FEATURE:
71 <221> NAME/KEY: misc_feature /
72 <222> LOCATION: (25)..(25)
73 <223> OTHER INFORMATION: n is a, c, g, or t
75 <220> FEATURE:
76 <221> NAME/KEY: misc_feature /
77 <222> LOCATION: (38)..(38)
78 <223> OTHER INFORMATION: n is a, c, g, or t
80 <220> FEATURE:
81 <221> NAME/KEY: misc_feature /
82 <222> LOCATION: (40)..(40)
83 <223> OTHER INFORMATION: n is a, c, g, or t
85 <220> FEATURE:
86 <221> NAME/KEY: misc_feature /
87 <222> LOCATION: (42)..(42)
88 <223> OTHER INFORMATION: n is a, c, g, or t
90 <220> FEATURE:
91 <221> NAME/KEY: misc_feature /
92 <222> LOCATION: (44)..(44)
93 <223> OTHER INFORMATION: n is a, c, g, or t
95 <220> FEATURE:
96 <221> NAME/KEY: misc_feature /
97 <222> LOCATION: (64)..(66)
98 <223> OTHER INFORMATION: n is a, c, g, or t
100 <220> FEATURE:
101 <221> NAME/KEY: misc_feature /
102 <222> LOCATION: (70)..(71)
103 <223> OTHER INFORMATION: n is a, c, g, or t
105 <220> FEATURE:
106 <221> NAME/KEY: misc_feature /
107 <222> LOCATION: (81)..(81)
108 <223> OTHER INFORMATION: n is a, c, g, or t
110 <220> FEATURE:
111 <221> NAME/KEY: misc_feature /
112 <222> LOCATION: (86)..(86)
113 <223> OTHER INFORMATION: n is a, c, g, or t
115 <220> FEATURE:
116 <221> NAME/KEY: misc_feature /
117 <222> LOCATION: (89)..(89)
118 <223> OTHER INFORMATION: n is a, c, g, or t
120 <220> FEATURE:
121 <221> NAME/KEY: misc_feature /
122 <222> LOCATION: (117)..(117)
123 <223> OTHER INFORMATION: n is a, c, g, or t
125 <220> FEATURE:
126 <221> NAME/KEY: misc_feature /
127 <222> LOCATION: (121)..(121)
128 <223> OTHER INFORMATION: n is a, c, g, or t

RAW SEQUENCE LISTING

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:26

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

130 <220> FEATURE:
131 <221> NAME/KEY: misc_feature
132 <222> LOCATION: (123)..(123)
133 <223> OTHER INFORMATION: n is a, c, g, or t
135 <220> FEATURE:
136 <221> NAME/KEY: misc_feature
137 <222> LOCATION: (135)..(135)
138 <223> OTHER INFORMATION: n is a, c, g, or t
140 <220> FEATURE:
141 <221> NAME/KEY: misc_feature
142 <222> LOCATION: (143)..(143)
143 <223> OTHER INFORMATION: n is a, c, g, or t
145 <220> FEATURE:
146 <221> NAME/KEY: misc_feature
147 <222> LOCATION: (177)..(177)
148 <223> OTHER INFORMATION: n is a, c, g, or t
150 <220> FEATURE:
151 <221> NAME/KEY: misc_feature
152 <222> LOCATION: (179)..(179)
153 <223> OTHER INFORMATION: n is a, c, g, or t
155 <220> FEATURE:
156 <221> NAME/KEY: misc_feature
157 <222> LOCATION: (181)..(181)
158 <223> OTHER INFORMATION: n is a, c, g, or t
160 <220> FEATURE:
161 <221> NAME/KEY: misc_feature
162 <222> LOCATION: (193)..(194)
163 <223> OTHER INFORMATION: n is a, c, g, or t
165 <220> FEATURE:
166 <221> NAME/KEY: misc_feature
167 <222> LOCATION: (209)..(210)
168 <223> OTHER INFORMATION: n is a, c, g, or t
170 <220> FEATURE:
171 <221> NAME/KEY: misc_feature
172 <222> LOCATION: (215)..(215)
173 <223> OTHER INFORMATION: n is a, c, g, or t
175 <220> FEATURE:
176 <221> NAME/KEY: misc_feature
177 <222> LOCATION: (217)..(217)
178 <223> OTHER INFORMATION: n is a, c, g, or t
180 <220> FEATURE:
181 <221> NAME/KEY: misc_feature
182 <222> LOCATION: (221)..(221)
183 <223> OTHER INFORMATION: n is a, c, g, or t
185 <220> FEATURE:
186 <221> NAME/KEY: misc_feature
187 <222> LOCATION: (228)..(228)
188 <223> OTHER INFORMATION: n is a, c, g, or t
190 <220> FEATURE:

RAW SEQUENCE LISTING

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:26

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

191 <221> NAME/KEY: misc_feature
192 <222> LOCATION: (233)..(233)
193 <223> OTHER INFORMATION: n is a, c, g, or t
195 <220> FEATURE:
196 <221> NAME/KEY: misc_feature
197 <222> LOCATION: (236)..(236)
198 <223> OTHER INFORMATION: n is a, c, g, or t
200 <220> FEATURE:
201 <221> NAME/KEY: misc_feature
202 <222> LOCATION: (243)..(243)
203 <223> OTHER INFORMATION: n is a, c, g, or t
205 <220> FEATURE:
206 <221> NAME/KEY: misc_feature
207 <222> LOCATION: (251)..(254)
208 <223> OTHER INFORMATION: n is a, c, g, or t
210 <220> FEATURE:
211 <221> NAME/KEY: misc_feature
212 <222> LOCATION: (270)..(270)
213 <223> OTHER INFORMATION: n is a, c, g, or t
215 <220> FEATURE:
216 <221> NAME/KEY: misc_feature
217 <222> LOCATION: (272)..(272)
218 <223> OTHER INFORMATION: n is a, c, g, or t
220 <220> FEATURE:
221 <221> NAME/KEY: misc_feature
222 <222> LOCATION: (274)..(275)
223 <223> OTHER INFORMATION: n is a, c, g, or t
225 <220> FEATURE:
226 <221> NAME/KEY: misc_feature
227 <222> LOCATION: (283)..(283)
228 <223> OTHER INFORMATION: n is a, c, g, or t
230 <220> FEATURE:
231 <221> NAME/KEY: misc_feature
232 <222> LOCATION: (292)..(293)
233 <223> OTHER INFORMATION: n is a, c, g, or t
235 <220> FEATURE:
236 <221> NAME/KEY: misc_feature
237 <222> LOCATION: (299)..(299)
238 <223> OTHER INFORMATION: n is a, c, g, or t
240 <220> FEATURE:
241 <221> NAME/KEY: misc_feature
242 <222> LOCATION: (303)..(303)
243 <223> OTHER INFORMATION: n is a, c, g, or t
245 <220> FEATURE:
246 <221> NAME/KEY: misc_feature
247 <222> LOCATION: (307)..(307)
248 <223> OTHER INFORMATION: n is a, c, g, or t
250 <220> FEATURE:
251 <221> NAME/KEY: misc_feature

RAW SEQUENCE LISTING

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:26

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

252 <222> LOCATION: (312)..(312) ✓
253 <223> OTHER INFORMATION: n is a, c, g, or t
255 <220> FEATURE:
256 <221> NAME/KEY: misc_feature ✓
257 <222> LOCATION: (319)..(319)
258 <223> OTHER INFORMATION: n is a, c, g, or t
260 <220> FEATURE:
261 <221> NAME/KEY: misc_feature ✓
262 <222> LOCATION: (324)..(325)
263 <223> OTHER INFORMATION: n is a, c, g, or t
265 <220> FEATURE:
266 <221> NAME/KEY: misc_feature ✓
267 <222> LOCATION: (328)..(329)
268 <223> OTHER INFORMATION: n is a, c, g, or t
270 <220> FEATURE:
271 <221> NAME/KEY: misc_feature ✓
272 <222> LOCATION: (342)..(342)
273 <223> OTHER INFORMATION: n is a, c, g, or t
275 <220> FEATURE:
276 <221> NAME/KEY: misc_feature ✓
277 <222> LOCATION: (345)..(345)
278 <223> OTHER INFORMATION: n is a, c, g, or t
280 <220> FEATURE:
281 <221> NAME/KEY: misc_feature ✓
282 <222> LOCATION: (366)..(366)
283 <223> OTHER INFORMATION: n is a, c, g, or t
285 <220> FEATURE:
286 <221> NAME/KEY: misc_feature ✓
287 <222> LOCATION: (377)..(377)
288 <223> OTHER INFORMATION: n is a, c, g, or t
290 <220> FEATURE:
291 <221> NAME/KEY: misc_feature ✓
292 <222> LOCATION: (382)..(382)
293 <223> OTHER INFORMATION: n is a, c, g, or t
295 <220> FEATURE:
296 <221> NAME/KEY: misc_feature ✓
297 <222> LOCATION: (391)..(391)
298 <223> OTHER INFORMATION: n is a, c, g, or t
300 <220> FEATURE:
301 <221> NAME/KEY: misc_feature ✓
302 <222> LOCATION: (395)..(395)
303 <223> OTHER INFORMATION: n is a, c, g, or t
305 <220> FEATURE:
306 <221> NAME/KEY: misc_feature ✓
307 <222> LOCATION: (400)..(400)
308 <223> OTHER INFORMATION: n is a, c, g, or t
310 <220> FEATURE:
311 <221> NAME/KEY: misc_feature ✓
312 <222> LOCATION: (412)..(413) ✓

RAW SEQUENCE LISTING ERROR SUMMARY
 PATENT APPLICATION: US/10/812,702

DATE: 09/09/2004
 TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:2; N Pos. 16,19,25,38,40,42,44,64,65,66,70,71,81,86,89,117,121,123,135
 Seq#:2; N Pos. 143,177,179,181,193,194,209,210,215,217,221,228,233,236,243
 Seq#:2; N Pos. 251,252,253,254,270,272,274,275,283,292,293,299,303,307,312
 Seq#:2; N Pos. 319,324,325,328,329,342,345,366,377,382,391,395,400,412,413
 Seq#:2; N Pos. 422,424,426,433,439,442,452,460,463,471,495,500,504,516
 Seq#:5; N Pos. 13,14,16,20,21,25,26,27,28,42,52,55,57,59,63,65,68,72,74,77
 Seq#:5; N Pos. 91,102,117,127,128,169,172,192,203,243,244,248,249,253,283
 Seq#:5; N Pos. 288,299,318,327,334,348,359,360
 Seq#:6; N Pos. 475,556,559,585,606,644,671,693,695,714,742,744,756,765,768
 Seq#:6; N Pos. 808,815,823,830,837
 Seq#:10; N Pos. 433,600,615,626,645,661
 Seq#:14; N Pos. 6,15,37,38,47,56,57,94,127,155,157
 Seq#:16; N Pos. 5,15,39,47,52,69,154,207,217
 Seq#:17; N Pos. 18,19,27,47,66,76,82,108,133,162,210,260,276
 Seq#:19; N Pos. 17,40,59,76,107,165,189,216,221,230
 Seq#:21; N Pos. 17,23,28,36,41,44,53,59,62,67,70,71,74,76,79,83,84,86,97
 Seq#:22; N Pos. 2,17,37,52,53,56,77,85,89,96
 Seq#:23; N Pos. 17,19,27,28,29,37,38,46,49,65,72
 Seq#:24; N Pos. 5,13,71,88,91,109,157,177,199,207,211
 Seq#:26; N Pos. 299,333,353,410,411,460,474,479
 Seq#:27; N Pos. 348,422,435,476,490
 Seq#:28; N Pos. 18,47,59,74,138,174,176,211
 Seq#:29; N Pos. 1,2,12,29,34
 Seq#:30; N Pos. 3,4,5,6,8,13,15,20,27,32,33,40,49,50,57,63,67,69,76,78,87
 Seq#:30; N Pos. 89
 Seq#:31; N Pos. 12,26,46,49,55,60,63,69,70,73,79,92,96
 Seq#:32; N Pos. 2,7,27,34,57,63,64,67,73,75,76,77,78,80,90,96,97,98
 Seq#:33; N Pos. 5,12,28,32,38,44,57,68,76,82,92
 Seq#:34; N Pos. 3,21,27,28,38,47,50,53,61,73,78,83,85,97
 Seq#:35; N Pos. 21,22,28,32,65,67,68,70,77,83,92
 Seq#:36; N Pos. 4,8,29,43,44,46,57,59,84,98,115,117,118
 Seq#:37; N Pos. 7,10,53,61,65,66,72,74,75,89,94,100,107,126,141
 Seq#:38; N Pos. 2,10,61,63,72,79
 Seq#:39; N Pos. 5,7,8,10,15,16,20,24,71
 Seq#:40; N Pos. 80,91
 Seq#:42; N Pos. 14,31,36,63,73,93,98
 Seq#:44; N Pos. 2,11,27,28,34,38,39,41,49,50,61,62,67,68,76,79,80,85,89,93
 Seq#:45; N Pos. 8,24,33,34,47,48,58,63,68,71,73,77,88,95,96
 Seq#:46; N Pos. 74
 Seq#:47; N Pos. 7,8,17,23,33,42,47,48,52,55,60,62,66,70,71,74,84,86,87,96
 Seq#:47; N Pos. 99,100
 Seq#:48; N Pos. 5,6,33,35,36,42,46,48,55,59,69,81,87,91,94,97
 Seq#:49; N Pos. 20,38,164,178,201,211,274,305,340,346,386,387,405,433,446
 Seq#:50; N Pos. 5,6,13,18,22,39,45,48,54,65,70,72,80,83,90,94,96,98,102,104

RAW SEQUENCE LISTING ERROR SUMMARY

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set : N:\CRF4\09092004\J812702.raw

Seq#:50; N Pos. 113,115,117,121,123,125,128,142,144,160,174,175,180,181,186
Seq#:50; N Pos. 192,198,205,215,223,224,233,234,238,243,253,257,268,280,291
Seq#:50; N Pos. 296,300,305,308,311,319,322,326,328,334,335,338,339,347,352
Seq#:50; N Pos. 358,361,367,382,389,395,410,413,414,418,425,436,443
Seq#:51; N Pos. 19,59,87,119,203,215,274,296,309,353,425,426,427,431,451
Seq#:51; N Pos. 470,472,478
Seq#:52; N Pos. 13,14,17,20,22,27,29,31,36,43,46,58,59,74,78,81,85,87,88,90
Seq#:52; N Pos. 91,92,95,96,105,107,109,115,116,117,120,123,148,154,155,156
Seq#:52; N Pos. 167,169,170,171,172,179,183,185,186,187,194,200,201,202,203
Seq#:52; N Pos. 205,235,236,242,244,246,247,250,303,305,318,327,331,335,336
Seq#:52; N Pos. 347,349,353,362,365,388,395,405,407,412,416,429,435,444,475
Seq#:52; N Pos. 481,485,488,505,506,507,525,528,532,534,535,543,551,552,553
Seq#:52; N Pos. 555,561,568,573,584,589,598,605,612,618,633,647,653,654,664
Seq#:52; N Pos. 679,689,695,698,711,720
Seq#:53; N Pos. 13,15,37,42,44,45,50,57,58,59,70,74,80
Seq#:55; N Pos. 5,32,40,60,62,76,107,155
Seq#:56; N Pos. 4
Seq#:69; N Pos. 356
Seq#:70; N Pos. 26
Seq#:71; N Pos. 5,19,29,38,42,45,49,61,77,79,88,90,100,110
Seq#:72; N Pos. 151
Seq#:73; N Pos. 7,16,233
Seq#:74; N Pos. 31,32,57
Seq#:76; N Pos. 11,35,37,38,43,56,67,71,75
Seq#:77; N Pos. 6,11
Seq#:78; N Pos. 11,20,24,31,38,53,61,62,66,83,84,92,109,115,146,153,166
Seq#:79; N Pos. 10,20,29,30,35,49,92
Seq#:80; N Pos. 9,88,98,105,107,127,142,147,161,166,167,171,180,196,206
Seq#:81; N Pos. 22,33,34,39
Seq#:82; N Pos. 13,16,33,46,47,78,82,83,121
Seq#:83; N Pos. 8,36
Seq#:84; N Pos. 30
Seq#:89; N Pos. 37,47,108,112,129,134,152,168,196,239
Seq#:91; N Pos. 326,338,339,344
Seq#:92; N Pos. 32,34
Seq#:94; N Pos. 5,25,38,39,44,46,59,66,70,74,80,82,83,84,86,90,91,92,112
Seq#:94; N Pos. 113,117,126,129,133,134,135,136,152,156,157,162,164,165,174
Seq#:94; N Pos. 178,181,185,186,187,190,191,194,206,227,231,235,244,247,251
Seq#:94; N Pos. 255,258,260,261,263,270,273,274,275,276,285,287,291,292,302
Seq#:94; N Pos. 305,306,311,318,319,321,327,328,329,333,348,349,352,357,363
Seq#:94; N Pos. 366,367,369,371,376,377,385,390,398,401,405,420,429,437,440
Seq#:94; N Pos. 442,443,453,455,456,473,474,477,481,487,488,495,496,497,500
Seq#:94; N Pos. 502,506
Seq#:95; N Pos. 11,24,40,48,51,71,80,83,91,95,99,111,115,116,118,121,123
Seq#:95; N Pos. 124,126,129,131,133,135,148,153,170,173,175,177,192,195,196
Seq#:95; N Pos. 198,200,201,211,212,219,222,223,226,231,240,243,244,249,255
Seq#:95; N Pos. 269,280,283,289,293,311,324,326,341,348,350,354,355,367,383
Seq#:95; N Pos. 384,391,398,400
Seq#:96; N Pos. 171,622,628,642,661,668,694,709,710,735,751,752,763,778,782

RAW SEQUENCE LISTING ERROR SUMMARY
PATENT APPLICATION: US/10/812,702

DATE: 09/09/2004
TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

Seq#:96; N Pos. 786,788,798

Seq#:98; N Pos. 17

Seq#:99; N Pos. 8,361

Seq#:100; N Pos. 8,39,50,56,71,72,97,110,177

Seq#:101; N Pos. 121

Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:1; Line(s) 5

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/812,702

DATE: 09/09/2004

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

L:10 M:256 W: Invalid Numeric Header Field, Wrong Current FILING DATE:YYYY-MM-DD

L:386 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:0

L:388 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:60

L:390 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:120

L:392 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:180

L:394 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:240

L:396 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:300

L:398 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:360

L:400 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:420

L:402 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:2 after pos.:480

L:610 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:0

L:612 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:60

L:614 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:120

L:616 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:180

L:618 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:240

L:620 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:5 after pos.:300

L:746 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:420

L:750 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:540

L:752 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:600

L:754 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:660

L:756 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:720

L:758 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:6 after pos.:780

L:855 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:420

L:859 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:540

L:861 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:600

L:863 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:10 after pos.:660

L:963 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:0

L:965 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:60

L:967 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:14 after pos.:120

L:1045 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:0

L:1047 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:60

L:1049 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:120

L:1051 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:16 after pos.:180

L:1121 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:0

L:1123 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:60

L:1125 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:120

L:1127 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:180

L:1129 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:17 after pos.:240

L:1212 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:0

L:1214 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:60

L:1216 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:120

L:1218 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:19 after pos.:180

L:1330 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0

L:1332 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:60

L:1387 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0

L:1389 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:60

L:1439 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:0

L:1441 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:23 after pos.:60

VERIFICATION SUMMARY

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set : N:\CRF4\09092004\J812702.raw

L:1506 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:0
L:1508 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:60
L:1510 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:120
L:1512 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:24 after pos.:180
L:1584 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:240
L:1586 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:300
L:1588 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:360
L:1590 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:26 after pos.:420
L:1637 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:300
L:1641 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:420
L:1643 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:27 after pos.:480
L:1693 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:0
L:1695 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:60
L:1697 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:120
L:1699 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:28 after pos.:180
L:1729 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:29 after pos.:0
L:1826 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:0
L:1828 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:30 after pos.:60
L:1898 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:0
L:1900 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:31 after pos.:60
L:1970 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:0
L:1972 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:32 after pos.:60
L:2037 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:0
L:2039 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:33 after pos.:60
L:2114 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:0
L:2116 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:34 after pos.:60
L:2171 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:0
L:2173 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:35 after pos.:60
L:2238 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:0
L:2240 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:36 after pos.:60
L:2317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:0
L:2319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:60
L:2321 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:37 after pos.:120
L:2361 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:0
L:2363 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:38 after pos.:60
L:2408 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:0
L:2410 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:39 after pos.:60
L:2432 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:40 after pos.:60
L:2496 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:0
L:2498 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:42 after pos.:60
L:2593 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:0
L:2595 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:44 after pos.:60
L:2665 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:0
L:2667 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:45 after pos.:60
L:2684 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:46 after pos.:60
L:2779 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:47 after pos.:0
L:2781 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:47 after pos.:60
L:2861 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:48 after pos.:0
L:2863 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:48 after pos.:60

VERIFICATION SUMMARY

DATE: 09/09/2004

PATENT APPLICATION: US/10/812,702

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

L:2943 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:0
L:2947 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:120
L:2949 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:180
L:2951 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:240
L:2953 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:300
L:2955 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:360
L:2957 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:49 after pos.:420
L:3317 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:0
L:3319 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:60
L:3321 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:120
L:3323 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:180
L:3325 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:240
L:3327 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:300
L:3329 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:360
L:3331 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:50 after pos.:420
L:3421 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:0
L:3423 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:60
L:3427 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:180
L:3429 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:240
L:3431 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:300
L:3435 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:51 after pos.:420
L:3899 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:0
L:3901 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:60
L:3903 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:120
L:3905 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:180
L:3907 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:240
L:3909 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:300
L:3911 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:360
L:3913 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:420
L:3915 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:480
L:3917 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:540
L:3919 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:600
L:3921 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:52 after pos.:660
L:3983 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:0
L:3985 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:53 after pos.:60
L:4060 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:0
L:4062 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:60
L:4064 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:55 after pos.:120
L:4079 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:56 after pos.:0
L:4338 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:69 after pos.:300
L:4355 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:70 after pos.:0
L:4451 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:0
L:4453 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:71 after pos.:60
L:4474 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:72 after pos.:120
L:4509 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:0
L:4515 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:73 after pos.:180
L:4545 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:74 after pos.:0
L:4616 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:0
L:4618 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:76 after pos.:60

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/812,702

DATE: 09/09/2004

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

L:4648 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:77 after pos.:0
L:4741 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:0
L:4743 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:60
L:4745 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:78 after pos.:120
L:4793 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:0
L:4795 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:79 after pos.:60
L:4877 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:0
L:4879 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:60
L:4881 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:120
L:4883 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:80 after pos.:180
L:4908 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:81 after pos.:0
L:4967 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:0
L:4969 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:60
L:4971 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:82 after pos.:120
L:5001 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:83 after pos.:0
L:5020 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:84 after pos.:0
L:5166 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:0
L:5168 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:60
L:5170 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:120
L:5172 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:89 after pos.:180
L:5226 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:91 after pos.:300
L:5248 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:92 after pos.:0
L:5670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:0
L:5672 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:60
L:5674 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:120
L:5676 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:180
L:5678 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:240
L:5680 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:300
L:5682 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:360
L:5684 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:420
L:5686 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:94 after pos.:480
L:5981 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:0
L:5983 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:60
L:5985 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:120
L:5987 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:180
L:5989 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:240
L:5991 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:300
L:5993 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:95 after pos.:360
L:6087 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:120
L:6103 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:600
L:6105 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:660
L:6107 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:720
L:6109 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:96 after pos.:780
L:6143 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:98 after pos.:0
L:6165 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99 after pos.:0
L:6177 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:99 after pos.:360
L:6231 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:0
L:6233 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:60
L:6235 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:100 after pos.:120

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/812,702

DATE: 09/09/2004

TIME: 10:14:27

Input Set : A:\pto.lm.TXT

Output Set: N:\CRF4\09092004\J812702.raw

L:6262 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:101 after pos.:120